

REPLACES

Steering Wheels

2N3600
\$28.94

Steering wheel, 17-1/2" dia., keyed hub. For tractors 9N, 2N (1939-1947).

**8N3600**
\$44.57

Steering wheel, 17-1/2" dia., 36 spline hub. For tractors 8N (1948-1952), NAA, 600, 700, 800, 900, 2000, 4000 4-cylinder models (1953-1964).

**8N3600-OE**
\$39.47

Steering wheel OEM style, 17-1/2" diameter, 36-spline hub. Metal spokes. For tractors 8N (1948-1952); NAA, 600, 700, 800, 900, 2000, 4000 4-cylinder models (1953-1964).

**D6NN3600B**
\$50.40

Steering wheel, 18" dia. For tractors 2000, 3000, 4000, 5000, 7000 (1965-1975); 2600, 3600, 4100, 4600, 5600, 6600, 7600 (1975-1981); 2610, 3610, 4110, 4610 (1981-); 5610, 6610 manual steering (1981-). Replaces D2NN3600 B.

**D5NN3N602A**
\$4.95

Nut, steering wheel retaining. For tractors 2000, 3000, 4000, 5000, 7000 (1965-1975); 2600, 3600, 4100, 4600, 5600, 6600, 7600 (1975-1981); 2610, 3610, 4110, 4610 (1981-). Replaces C5NN3N602A.

REPLACES

Steering Wheel Cap & Nuts

C7NN3655B
\$2.60

Cap, steering wheel. For tractors 2000, 3000 (except 3550), 4000, 5000, 7000 (1965-1975); 2600, 3600, 3900, 4100, 4600, 5600, 6600, 7600, 231, 233, 333, 335, 531, 532, 535 (1975-1981); 2310, 2610, 2910, 3610, 3910, 4110, 230A, 234, 334, 335, 530A (1981-2/1990); 5610, 5900, 7610 (1981-1991); 8000, 9000, 8700, 9700, TW10, TW20, TW30 (1973-1982); 3230, 3430, 3930, 4130, 4630 (3/1990-); 4830, 5030 (7/1990-); 5610S, 6610S, 7610S (1994-).

**351114S**
\$4.25

Nut, steering wheel ACORN style. 11/16 -20. For tractors: 8N, NAA (1948-1954).

**351114CC**
\$14.49

Nut, steering wheel ACORN style. 11/16 -20. CHROME PLATED. For tractors: 8N, NAA (1948-1954).

351103S
\$4.25

Nut, steering wheel ACORN style. 5/8 -18 For tractors: 9N, 2N (1939-1947).

351103CC
\$14.49

Nut, steering wheel ACORN style. 5/8-18, CHROME PLATED. For tractors: 9N, 2N (1939-1947).

9N3673
\$4.85

Washer, steering wheel for 4 spoke wheel {1.8 outside diameter} For tractors: 9N (1939-1942).



REPLACES

Vinyl Coated Wheel Spinners

Blue spinner.

**WSV120B**
\$7.20

Complete wheel spinner assortment: includes 2 blue, 2 green, 3 red, 2 yellow and 3 black. Universal.

**WSV125A**
\$84.50

REPLACES

Steering Wheel Cap & Nuts

C7NN3655B
\$2.60

Cap, steering wheel. For tractors 2000, 3000 (except 3550), 4000, 5000, 7000 (1965-1975); 2600, 3600, 3900, 4100, 4600, 5600, 6600, 7600, 231, 233, 333, 335, 531, 532, 535 (1975-1981); 2310, 2610, 2910, 3610, 3910, 4110, 230A, 234, 334, 335, 530A (1981-2/1990); 5610, 5900, 7610 (1981-1991); 8000, 9000, 8700, 9700, TW10, TW20, TW30 (1973-1982); 3230, 3430, 3930, 4130, 4630 (3/1990-); 4830, 5030 (7/1990-); 5610S, 6610S, 7610S (1994-).



REPLACES

Steering Gear Assemblies & Parts

E4NN3503CA
Call for Price

Steering gear assembly. For tractors with manual steering less cab 2600 except 2600V, 3600 except 3600V, 3900, 4100, 231, 233, 333, 335, 531, (1975 to 9-1978); 2810, 2910, 4110, (10-1984 to 2-1990).

**E4NN3N503CB**
"\$1,982.64"

Steering gear assembly. For power steering in tractors less profile cabs 2310, 2610, 3610, 3910, 4110, 4610SU, 230A, 234, 334, 530A, (1981 to 2-1990). Replaces E0NN3N503GA.



- E1NN3N503AC** Steering gear assembly. For tractors with power steering 4100 (8/1970-1975); 4600 less cab (1975-1981); 340, 540 (1978-3/1981). Replaces E1NN3N503AB.


- C7NN3590A** Arm, steering gear. For power steering on tractors 4100 (8/1970-1975); 4600 (1975-1981).

Call for Price


- D2NN3A710E** Steering shaft and nut assembly. For manual and power steering on tractors 4400, 4500, (1965 to 1975); for power steering on tractors 515, 535, (1975 to 9-1978).

Call for Price


- D6NN3N670A** Center arm, for power steering pivot shaft on tractors 5000, 7000, (9-1970 to 1975); 5600, 6600, 7600, (1975 to 1981); 5610, 6610, 7610, (1981 to 3-1985).

\$131.01


- E1NN3N503BC** Steering gear assembly. For tractors with power steering 5100, 7100 (9/1970-1975); 5600, 6600, 7600 less cab (1975-1981). Replaces E1NN3N503BA, E1NN3N503BB.

Call for Price
- E0NN3A710BB** Steering shaft and nut assembly. For power steering on tractors 5610, 6610, 7610 (1981-3/1985); 5900 (1985-10/1991).

Call for Price


- C5NN3130A** Arm, steering spindle, RH. For power steering on tractors 5100, 7100 (1965-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610, 7610 (1981-3/1985); 5900 (1985-1991).

Call for Price


- C5NN3131A** Arm, steering spindle, LH. For power steering on tractors 5100, 7100 (1965-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610, 7610 (1981-3/1985); 5900 (1985-1991).

Call for Price



Steering Gear Set and Parts



- SGS3** Steering gear set. Set contains one each of 9N3525, 9N3526, and 9N3527. For tractors 9N, 2N (1939-1947).

\$428.42
- 9N3517** Bushing, half-round, 4 required.

\$8.75
- 9N3525** Shaft and pinion assembly.

\$75.60
- 9N3526** Steering sector, right hand.

\$156.09
- 9N3527** Steering sector, left hand.

\$156.09
- 0N3670** Packing, shaft, 4 required.

\$3.93
- B3552** Cup, steering gear thrust. For tractors 9N, 2n, 700, 900.

\$6.11
- 68-3571A** Cone, steering gear thrust. For tractors 9N, 2N, 700, 900.

\$4.86
- 9N3573** Cone, steering gear sector. For tractors 9N, 2N.

\$17.69

REPLACES

Steering Sectors & Bushings



- 251293** Steering sector, RH, for double steering sector. For tractors 8N S/N 216989 & up (1948-1952); NAA, 600, 800, 2000, 4000 (1953-1964).

\$169.20
- 251294** Steering sector, LH, for double steering sector. For tractors 8N, S/N 216989 & up (1948-1952); NAA, 600, 800, 2000, 4000 (1953-1964).

\$169.20
- 8N3576A** Bushing, steering gear sector {1-1/2 long}. For tractors: 8N, 8NAN to s/n 216988 {1948-1949}. {4 used}

\$7.25
- 8N3576B** Bushing, steering gear sector {.84 long}. For tractors: 8N, 8NAN. NAA, NAB s/n 216988 & up. {2 used}

\$7.25

8N3553
\$4.85

Bushing, steering gear pitman shaft. For tractors: 8N, NAA {1949-1954}.



8N3570
\$1.80

Seal, felt dust seal for top of steering column. For tractors: 8N, NAA {1948-1954}.



REPLACES

Steering Seals



D5UZ3591B
\$6.75

Seal, steering gear sector shaft. For tractors 8N S/N 2616989 & up (1948-1952); NAA, 600, 800, 2000, 4000 (1953-1964).

REPLACES

Repair Kit For Steering Shaft



SRK632AA
\$52.88

Repair kit for steering shaft. Services shafts where upper seal has worn a groove into shaft causing oil to leak from upper housing. For tractors w/2-wheel drive 2100, 2110, 2120, 2150, 3055, 3100, 3120, 3150, 3400, 4110, 4140 (1965-1975); 2600, 3600, 3900, 4100, 4600SU, 335, 532 (with or w/o cab 1975-3/1976; w/o cab 4/1976-1981); 2310, 2610, 2910, 3610, 3910, 3910SU, 4110SU, 4610SU, 230A, 234, 334, 530A (w/o cab 1981-9/1984).

REPLACES

Steering Column Bushings & Parts



C5NN3517A
\$8.60

Bushing assembly, upper, for steering column on **tractors:** 2000, 3000, 4000 series 1965 & up with power steering.



D5NN3517A
\$8.60

Bushing assembly, upper, for steering column on **tractors:** 2600, 3600, 4100, 4600 (4-1976 to 1981); 5600, 6600, 7600, manual steering. (4-1976 to 1981); 2610, 3610, 4110, 4610 (1981 to -); 5610, 6610, 7610, power steering (1981 thru 3-1985).



9N3699
\$4.46

Spring, steering column dust seal. EXACT of ORIGINAL. For tractors: 9N, 2N (1939 to 1947).



9N3661
\$3.89

Retainer, steering gear dust seal. EXACT of ORIGINAL. For tractors: 9N, 2N (1939 to 1947).



9N3669A
\$7.25

Steering column cap without 1/4-28 grease fitting hole. EXACT of ORIGINAL. For tractors: 9N, 2N (1939 to 1947).]



9N3669B
\$7.25

Steering column cap **with** 1/4"-28 grease fitting hole. EXACT of ORIGINAL. For tractors: 9n, 2n(1939 to 1947).



356515S
\$3.33

Steering wheel washer. For tractors: 8N, NAA (1948 to 1954).



NAA3578B
\$12.09

Grommet, steering column. For tractors: NAA, Jubilee {1953-1954}.

8N3578
\$6.05 Grommet, steering column to instrumental panel. For tractors: 8N {1948-1952}.



9N3593B
\$3.65 Gasket, steering gear housing rear. For tractors: 9N, 2N, {1939-1947}.



8N3586
\$3.65 Seal, felt dust seal for steering gear box sector shaft. For tractors: {1948-1954}. {2 per pkg.} 8N, NAA.



9N3594
\$3.65 Gasket, steering gear housing front. For tractors: 9N, 2N, {1939-1947}.



9N3660
\$3.65 SEAL, STEERING COLUMN DUST SEAL. FOR TRACTORS: 9N, 2N (1939-1957).



8N3520
\$3.65 SPRING, STEERING COLUMN BEARING. FOR TRACTORS: 8N, NAA, 600, 601, 700, 701, 800, 801, 900 (1948-1957).



REPLACES Bushing for Steering Gear Rocker Shaft



C5NN3N654B
\$4.44 Bushing, inner or outer. For tractors w/manual steering 5000, 7000 (1965-1974); 5600, 6600, 7600 (1975-1981); 5610, 6610 (1981-); power steering 5000, 7000 (1965-7/1970). Replaces C5NN3N652A.

REPLACES

Steering Gear Thrust Bearing



8N3571-52
\$10.04

Mono-bearing. For steering shaft on tractors with manual steering, 1948-1964. For tractors 8N, NAA, 600, 800. Not for Row Crop, Majors, or Dextas. Replaces 1-8N3552 cup & 18N3571 cone. 2 required per tractor.

8N3571-OE
\$12.54

Steering gear bearing for manual steering. **EXACT of ORIGINAL.** For tractors; 8n, NAA (1948 TO 1954).

8N3505
\$38.43

Steering gear bearing kit. (Consist of 2-8N3552, 2-8N3571). **EXACT of ORIGINAL. For tractors;** 8N, NAA (1948 TO 1954).

REPLACES

Power Steering Cylinders



E2NN3A540BA
\$215.79

Power steering cylinder with 1/2" dia. rod, 7/16" dia. threaded outer end. For tractors 601, 801, 2000AP & LCG, 4000AP & LCG, (1957 to 1964); 2000, 3000 except 3400, 4000 except 4410, (1965 to 1975); 2600, 3600, 4600 if equipped with cylinders w/female threads (1975 to -); industrials 230A, 231, 234, 334, 530A, 531, (1965 to -). Replaces OEM parts E2NN3A540BA (RH) & E2NN3A547AA (LH).

D4NN3A540A
\$245.24

Power steering cylinder with 5/8" dia. rod, 7/16" dia. threaded end. Used on heavy-duty versions using E2NN3A540BA. Replaces OEM parts D4NN3A540A (RH) & D4NN3A547A (LH).

C5NN3A739G
\$245.24

Power steering cylinder with 5/8" dia. rod, 1/2" dia. threaded outer end. For industrial tractors 335, 532, 3400, 4410 (1965-1975). Replaces OEM parts C5NN3A739G (RH) & C5NN3C578B (LH).

REPLACES

Power Steering Cylinders 2



D8NN3A540AB-HD
\$379.70

Power steering cylinder, RH. For dual cylinder applications on utility and industrial tractors 340, 340A, 340B, 540, 540A, 540B (4/1981-11/1988); 445, 445A, 450, 545, 545A (10/1978-11/1988), 345C, 445C, 545D (9/1992-).

D8NN3D547AB-HD
\$379.70

Power steering cylinder, LH, for dual-cylinder applications. Used in same utility and industrial tractors as cylinder D8NN3A540SB-HD.

REPLACES

Power Steering Cylinder Ends

C5NN3A302B
\$27.29

Cylinder end with 7/16" internal threads. For OEM & Tisco power steering cylinders E2NN3A5A0BA with 1/2" dia. rod and D4NN3A540A with 5/8" dia. rod. For tractors 601, 801, 2000AP & LCG, 4000 AP & LCG (1957-1964); 2000, 3000 except 3400, 4000 except 4410 (1965-1975); 2600, 3600, 4600 (1975-); industrials 230A, 231, 234, 334, 530A, 531 (1965-).



E2NN3A540BJ
\$20.87

Cylinder end. For TISCO universal power steering cylinders C5NN3A739G, D4NN3A540A, E2NN3A540BA. 5/8" threaded end screws into cylinder head and is rotated so cylinder can be used for LH or RH applications. Not for original OEM cylinders. Fits C5NN3A302B installed on tractors 601, 801, 2000AP & LCG, 4000AP & LCG (1957-1964); 2000, 3000 except 3400, 4000 except 4410 (1965-1975); 2600, 3600, 4600 (1975-); industrials 230A, 231, 234, 334, 530A, 531, 532, 3400, 4410 (1965-1975).



D8NN3A540BJF
\$17.21

Cylinder end with 11/16" internal threads. End screws onto rod. For TISCO universal power steering cylinders D8NN3A540AB-HD and D8NN3D547AB-HD.



D8NN3B539AB
\$48.77

Cylinder end, for power steering cylinder, left end. For tractors 5700, 6700, 7700 (8/1976-1981); 6710 (1981-10/1985); 7710 (1981-1987).



D8NN3A540ABF
\$28.37

Cylinder end with 11/16" internal threads. End screws onto rod. For TISCO universal power steering cylinders D8NN3A540AB-HD and D8NN3D547AB-HD. Replaces TISCO cylinder end D8NN3A540BJF.



D8NN3D547ABM
\$28.32

Cylinder end with 5/8" external threads. End screws into cylinder head. For TISCO universal power steering cylinders D8NN3A540AB-HD and D8NN3D547AB-HD. Replaces TISCO cylinder end D8NN3A540BJM, D8NN3D547BJM.



REPLACES

Seal Kits and Repair Parts for Power Steering Cylinders

E2NN3A-SK
\$25.97

Seal kit, for cylinder E2NN3A540BA. Piston rod is retained with 1-5/8" snap ring.

E2NN3X-SK
\$28.73

Seal kit, for cylinder E2NN3A540BA. Piston rod is retained with 1" snap ring and 1-3/4" threaded spanner nut.

ALX3008
\$58.19
C5NN3A-SK
\$27.00

Replacement cylinder rod for E2NN3A540BA.

Seal kit, for cylinders C5NN3A739G and D4NN3A540A piston rod is retained with 1-5/8" snap ring.

C5NN3X-SK
\$38.51

Seal kit, for cylinders C5NN3A739G and D4NN3A540A piston rod is retained with 1" snap ring and 1-3/4" threaded spanner nut.

ALX4008
\$56.91

Replacement cylinder rod for C5NN3A739G.

D8NN3A540SKRF
\$101.63

Retro-Fit seal and piston kit. Contains piston & head, seals, snap ring. Heavy-duty parts to overhaul Tisco D8NN3A540AB & D8NN3A547AB. Not for OEM cylinders.

D8NN3A540SKP-HD
\$36.75

Seal kit. Contains 4 seals, o-ring, and snap ring. For servicing Tisco power steering cylinder D8NN3D547AB-HD, D8NN3A540AB-HD. Not for OEM cylinders.

REPLACES

Power Steering Pumps with Reservoirs

E6NN3K514EA
\$413.15

Power steering pump and reservoir assembly, 2.74 gallons at 1000 rpm. For tractors 3500, 3550 (5/1970-); 5100, 7100 (7/1970-); 4100 (4/1970-); 4600, 5600, 6600, 7600, industrial 420 (1975-1981).

**D8NN3K514KC**
Call for Price

Power steering pump and reservoir assembly, 2.74 gallons at 1000 rpm. For tractors 4500 (11-1970 to 3-1975). Replaces D8NN3K514KB.

**E0NN3K514AB**
\$729.59

Power steering pump and reservoir assembly. For tractors TW5, TW15, TW25 (1983-2/1990). Replaces E0NN3K514AB.

**E6NN3K514AB**
\$537.50

Power steering pump and reservoir assembly. For tractors 5610, 6610, 7610 (4/1985-10/1991); 5900 (5/1985-10/1991); 5610S, 6610S, 7610S, 7810S (1/1994-). Replaces E4NN3K514AB. E6NN3K514AA. Not for power assist steering.



Filler Cap for Power Steering Reservoir

**D2NN3A006B**
\$3.09

Filler cap, non-vented, for power steering reservoir body. For horizontal mounted pumps on tractors 2000, 3000, 4000, 5000, 7000 (10/1968-1975); 2600, 3600, 4100, 4600, 5600, 5700, 6600, 6700, 7600, 7700, 231, 335, 420, 515, 531, 532 (1975-1981); 2310, 2610, 2810, 2910, 3610, 3910, 4110, 230A, 234, 334, 335, 530A (1981-2/1990); 5610, 5900, 6610, 6710, 7610, 7710 (1981-1991); 7810, 7910, 8210, 8530, 8830, TW5, TW15, TW25, TW35 (1982-10/1991); 8000, 9000, 8700, 9700, TW10, TW20 (3/1973-1982); 3230, 3430, 3930, 4130, 4630 (3/1990-); 4830, 5030 (7/1990-); 5610S, 6610S, 7010S (1994-).

REPLACES

Power Steering Seal Kit

DHPN3A674B
\$11.55

Seal kit. For servicing power steering pumps: E6NN3K514EA, D8NN3K514KC, E0NN3K514AB, and E6NN3K514AB.

REPLACES

Power Steering Filter



EDPN3K758A
\$8.63

Power steering filter for pump reservoir. For tractors 2000, 3000, 4000, 5000, 7000 (10/1968-1975); 2600, 3600, 4100, 4600, 5600, 5700, 6600, 6700, 7600, 7700, 231, 233, 333, 335, 420, 515, 531, 532 (1975-1981); 2310, 2610, 2810, 2910, 3610, 3910, 4110, 4610, 230A, 234, 334, 335, 530A (1981-2/1990); 5610, 5900, 6610, 6710, 7610, 7710 (1981-10/1991); 8000, 8700, 9000, 9700, TW10, TW20, TW30 (3/1973-1982); 7810, 7910, 8210, TW5, TW15, TW25, TW35 (1982-2/1990); 8530, 8630, 8730, 8830 (3/1990-); 3230, 3430, 3930, 4130, 4630, 4830, 5030 (3/1990-10/1992); 5610S, 6610S, 7610S, 7810S (1/1994-). Replaces E0NN3K758AA.

REPLACES

Seals for Steering Gear Rocker Shaft

DDN3539
\$5.78

Oil seal, inner for rocker shaft. For tractors Major, Super Major (1952-1964); manual steering 4000 (1965-1975); 4600 (4/1976-1981); power steering 4000 (1965-7/1970); manual steering w/cab 2600, 3600, 4100 (4/1976-1981); 2610, 3610, 4110 (1981-); manual steering with or w/o cab 4610 (1981-).

C5NN3C615B
\$6.11

Oil seal, inner for rocker shaft. For tractors w/manual steering 5000, 7000 (1965-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610 (1981-); power steering 5000, 7000 (1965-7/1970).

C5NN3528A
\$1.17

Oil seal, outer. For rocker shaft. 2 required. For tractors, see DDN3539 & C5NN3C615B.

Power Steering Bushings



C5NN3179A
\$3.86

Bushing, 1" long, for power steering center arm pivot shaft. Tractors 5000, 7000, 2 used from 1965-1/1966; upper bushing for center arm pivot shaft, 1 used on tractors 5000, 7000 (2/1966-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610, 7610 (1981-3/1985).

C5NN3179B
\$5.88

Bushing, 1.38" long, for power steering center arm pivot shaft, lower bushing. One used on tractors 5000, 7000 (1965-1/1966); 5600, 6600, 7600 (1975-1981); 5610, 6610, 7610 (1981-3/1985).

REPLACES

Improved Power Steering Hoses

FPH30
\$23.82

Single wire, braid hose assembly with fittings, overall length 31". For tractors 600, 700, 800, 900, 2000, 4000 (1957-1964); 2000, 3000 (1965-1975); 2600, 3600 (1975-1981); 2610, 3610, 3910 (1981-2/1991). Replaces CONN3A714B, CONN3A717B, CONN3C769A, CONN3C770A.



FPH34
\$23.87

Single wire braid hose with fittings; 35" long. For tractors NAA, 600, 800 series (1957-). Replaces power steering pump pressure tube B8NN3A562A.



FPH54
\$28.13

Flexible power steering hose designed to replace regrid Ford tube assemblies. 54" lng. 3/8" I.D. SAE 100 R1A single wire braid hose with 5/8"-18 thread 45 degrees SAE flare female swivel on one end, 5/8"-18 thread SAE straight inverted flare on other. For tractors 2000, 3000, 4000, (1965 & up); 5000, 7000, (9-1980 & up); 2600, 3600, 4600, 5600, 6600, 7600, (1975 & up). Can replace tube assemblies C5NN3A562C, C7NN3A562C, C5NN3A541A, C7NN3A541A, C7NN3A541B, D0NN3A562A.

**C7NN3127D**
\$48.51

Front axle pin, manual or power steering. For tractors 2000, 3000 (8/1970-1975); 2600 (except 2600V), 3600 (except 3600V), 4100 (1975-1981); 2610 (except 2610V), 3610 (except 3610V), 4110 (except 4110V) (1981-). OD 2", ID 1.125", L 5.875". Uses 1-5/8" nut.

**C5NN3N159A**
\$48.77

Front axle pin, front, manual or power steering. For tractors 5000, 7000 (1965-1975); 5600, 6600, 7600 (1975-1981); 5610, 8610, 7610 (1981-3/1985). OD 1.875", L 8-7/8", head dia. 3-1/4" and 1/2" hole.



REPLACES

Front Axle Support Pins

2N3126D
\$22.28

Pin, front axle. OD 1.743", ID 1.310", L 4". For 9N, 2N (after S/N 164489), 8N.

**NAA3126B**
\$33.72

Pin, front axle unthreaded. OD 1.743", ID 1.310", L 4". For NAA (1953-1954).

**NCA3127A**
\$19.59

Pin, front axle, threaded. OD 1.750", L 4.50". For all purpose and LCG (1953-1964).

**NCA3128A**
\$5.88

Flange, axle pin locking. All using NCA3127A pin.

**312659**
\$40.49

Pin, front axle, heavy duty. All purpose (7/1958-1964). 4.750" total length, 4.00" usable length.

**C5NN3127B**
\$35.91

Front axle pin, manual or power steering. O.D. 1.750" I.D. 1.125", L 4.960". For tractors 2000 (except 2300); 3000 (except 3300), 3400, 3500, 3550 (1965-7/1970).

**C5NN3N160A**
\$25.11

Front axle pin, rear, manual or power steering. For tractors 5000, 7000 (1965-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610, 7610 (1981-).

**C5NN3N703C**
\$30.44

Pivot shaft for center power steering arm, 4.28" long. For tractors 5000, 7000 (6/1966-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610, 7610 (1981-3/1985).



REPLACES

Front Axle Support Pin
Bushings**2N3039**
\$5.30

Bushing. Fits 4-cyl models with std. front axle & manual or power steering (1939-1964). Not for heavy front axles or industrial, grove, Majors, or Dextas.

C5NN3153C
\$6.78

Bushing for front axle pin, manual or power steering. For tractors 2000 (except 2300), 3000 (except 3300), 3400, 3500, 3550 (1965-7/1970).

C7NN3153B
\$3.54 Bushing for front axle pin, manual or power steering. For tractors 2000, 3000 (8/1970-1975); 2600 (except 2600V), 3600 (except 3600V), 4100 (1975-1981); 2610 (except 2610V), 3610 (except 3610V), 4110 (except 4110V) (1981-).

C5NN3153A
\$4.52 Bushing for front axle pin, front, manual or power steering. For tractors 5000, 7000 (1965-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610, 6710, 7610, 7710 (1981-).

C5NN3446A
\$3.38 Bushing for front axle pin, rear, manual or power steering. For tractors 5000, 7000 (1965-1975); 5600, 6600, 7600 (1975-1981); 5610, 6610, 7610 (1981-).

8N3024
\$4.85 Front axle support pin spacer. For tractors: 8N, NAA {1948-1954}.

REPLACES

Front Axle Supports



C5NN3010D
\$138.69 Front axle support. For tractor series 2000 (except 2300, 2310), 3000 (except 3300, 3310, 3400, 3500, 3550), 4140 (1965-7/1970).

C7NN3010F
\$136.38 Front axle center support. For tractor series 2000 (except 2300, 2310), 2100, 2110, 3000 (except 3300, 3310), 3100, 4100, 4110, 4140 (1965-1975); 2600 (except 2600N, V), 3600 (except 3600N, V), 3900, 4600SU, 231, 333, 335, 531 (1975-1981); 2610 (except 2610N), 2910, 3910, 230A, 234, 334, 335, 530A (1981-2/1990).

REPLACES

Front Axle Bolts & Rod

350789-KIT
\$12.09 Bolt kit, front axle bolt, nut & washer. Holds right and left axles to center axle. For tractors: 9N, 2N, 8N {1939-1952}.



357623S8
\$4.25 Radius rod to front axle pin. For tractors: 8N, 8NAN {1948-1952}.



REPLACES

Radius Rod Foot Bolt



NAA3415B
\$5.61 Bolt, radius rod to front axle. L 5-1/2", 5/8" -18 thread, head OD 7/8". For all Ag models.

Drag Links

E0NN3304CA
\$103.47 Drag link for power steering, 50.50" center post to center post. For tractors: 5000, 7000, (9-1970 to 1975); 5600, 6600, 7600, (1975 to 1981). Replaces C7NN3304B.

REPLACES

Drag Link Ends

9N3270
\$10.50 End assembly, front, .687"-18 RH thread, 3.187" to center of post. For tractors 9N, 2N.



NAA3270A
\$10.67 End assembly, front, .687" - 18 LH thread, 3.875" to center of post. For tractors w/manual steering NAA, 600, 800.

8N3270
\$10.49 End assembly, front, .687"-18 LH thread, 4.00" to center of post. For tractors 8N.

NAA33271A
\$11.60 End assembly, rear, .687"-18 RH thread, 4.250" to center of post. For tractors w/manual steering 9N, 2N, 8N, NAA, 600, 800.



957E3290B
\$10.41 End front, for drag link w/manual steering. For tractors: Dexta, Super Dexta (1957 to 1964), 2000, 3000, (1965 to 1975); w/o cab 2600, 3600, 4100, (1975 to 1981); 2610, 3610, (1981 to 9-1984). .687"-18 LH thread, 4.00" to center of post.

957E3307B
\$12.24 End, rear, for drag link w/manual steering. For tractors Dexta, Super Dexta (1957 to 1964); 2000, 3000, (1965 to 1975); w/o cab 2600, 3600, 4100, (1975 to 1981); 2610, 3610, (1981 to 9-1984). RH thread.



- C5NN3A300B** End, front, for drag link w/power steering. For tractors 2000, 3000, (1965 to 1975); w/o cab 2600, 3600, 4100, (1975 to 1981); 2610, 3610, (1981 to 9-1984). .750"-16 LH thread, 3.310" to center of post.

\$18.81
- C5NN3307G** End, rear, RH, 29.625" to center of post, for drag link with power steering. For tractors 2000, 3000, (1965 to 1975); 2600, 3600, 4100, less cab, (1975 to 1981); 2610, 3610, 4110, less cab, (1981 thru 9-1984).

\$96.33
- C5NN3308E** End, rear, LH, 28.125" tube length, for drag link with power steering. For tractors 2000, 3000, (1965 to 1975); 2600, 3600, 4100, less cab, (1975 to 1981); 2610, 3610, 4110, less cab, (1981 thru 9-1984).

\$94.22
- D0NN3A300A** End, front, 9.00" to center of post for drag link with manual or power steering. For tractors 4000 (1965 to 1975), 4600 (1975 to 1981). Replaces C5NN3A300A.

\$32.36
- E1NN3A300AA** End, front, 8.75" to center of post, for drag link w/manual or power steering. For tractors 4610 (1981 to -).

\$21.98
- D0NN3307A** End, rear, 41.25" to center of post, for drag link with power steering. For tractors 4000 (1-1972 to 1974), 4600 (1975 to 1981).

\$83.27
- C5NN3308C** End, front, 1.00"-16, LH threads, 3.75" to center of post, for original style drag link with threaded ends & manual steering. For tractors 5000, 7000, (1965 to 12-1967).

\$24.50
- E3NN3308BA** End, front, 1.00"-16, LH threads for drag link with power steering, 3.75" to center of post. For tractors 5000, 7000, (1965 to 8-1967). Replaces C5NN3308D.

\$25.88

- E3NN3307AA** End, rear, 1.00"-16, for drag link with power steering 3.75" to center of post. For tie rod with power steering, tractors 5000, 7000, (1965 to 8-1967). Wide adjustable axle, tractors: 8200, 8600, 9200, 9600, (1968 to 7-1976). Replaces C5NN3307F.

\$23.97

REPLACES

Drag Link Dust Covers and Nut

- 8M3332** Dust cover, steering drag link front ball joint. For tractors: 8N, NAA, 600, 800 {1948-1957}. 

\$2.42
- 783332** Dust cover, steering drag link front ball joint. For tractors: 9N, 2N, (1939-1947). 

\$2.42
- 9N3324** Dust cover, steering drag link front ball joint. For tractors: 9N, 2N, 8N, NAA, 600, 800, (1939-1957). 

\$7.25
- 350947S** Nut, steering drag link clamp for tractors: 9N, 2N, 8N, NAA {1939-1954}. Also for running board to running board bracket bolt. For tractors: 8N, NAA {1948-1954}. 

\$1.20
- 357344S** Bolt, steering drag link clamp. For tractors: 9N, 2N, 8N, NAA {1939-1954}. 

\$1.20
- 357344-KIT** Bolt kit, steering drag link clamp, bolt, nut & washer kit {set of 4}. For tractors: 9N, 2N, 8N, NAA {1939-1954}.

\$8.45

REPLACES

Tie Rod Ends



E1NN3289AA
\$30.06

End, RH offset, threaded, 8-3/4" to center of post. For tractors with short wheel base, adjustable axles 8700, 9700, (8-1976 to 1978); exc HD & wide axle on TW10, TW20, (1979 to 1982); 6710, 7710, (1981 to 10-1991); exc HD & wide axle on TW5, TW15, TW25, TW35, (1983 to 2-1990). For tractors with long wheel base, end LH, offset, threaded 8-3/4" to center of post. Adjustable LH axles, 8700, 9700, (8-1976 to 1978); 6710, 7710, (1981 to 10-1991); 7910, 8210, (1982 to 10-1991).



C5NN3278A
\$25.88

End, LH outer, 19.00" to center of post, for tie rod with manual or power steering. For tractors 4000 (LH & RH 1965 to 5-1967; LH only 6-1967 to 1975); 4600 (1975 to 1981); 4610 (1981 to -).



C5NN3289C
\$22.64

End, RH outer, .750"-16 thread, 3.75" to center of post, for tie rod with manual or power steering. For tractors 4000 (6-1967 to 1975); 4600 (1975 to 1981); 4610 (1981 to -).



E1NN3280AA
\$77.76

End, LH, straight, drilled, 8 holes, 31" to center of post. For tractors with short wheel base, adjustable axles 8700, 9700 (8-1976 to 1978); exc HD & wide axle on TW10, TW20, (1979 to 1982); 6710, 7710, (1981 to 10-1991); exc HD & wide axle on TW5, TW15, TW25, TW35, (1983 to 2-1990). For tractors with long wheel base, adjustable axles. End, RH, straight, drilled, 8 holes, 31" to center of post. For tractors 8700, 9700, (8-1976 to 1978); 6710, 7710, (1981 to 10-1991); 7910, 8210, (1982 to 10-1991).



C7NN3281A
\$27.81

End, LH outer, 15.375" to center of post, for tie rod with power steering. For tractors 5000, 7000, (1965 to 1974); 5600, 6600, 7600 except front wheel drive, (1975 to 1981); 5610, 6610, 7610 except front wheel drive, (1981 to 3-1985).



C7NN3280D
\$38.51

End, outer, notched (9), 19-5/8" to center of post. For tractors with wide adjustable & all-purpose axles 8200, 8600, 9200, 9600, (1968 to 7-1976).



C7NN3280E
\$27.48

End, RH outer, 15.375" to center of post, for tie rod with power steering. For tractors 5000, 7000, (1965 to 1975); 5600, 6600, 7600 except front wheel drive, (1975 to 1981); 5610, 6610, 7610 except front wheel drive, (1981 to 3-1985).

E3NN3307AA
\$23.97

End, rear, 1.00"-16, for drag link with power steering 3.75" to center of post. For tie rod with power steering, tractors 5000, 7000, (1965 to 8-1967). Wide adjustable axle, tractors: 8200, 8600, 9200, 9600, (1968 to 7-1976). Replaces C5NN3307F.

C7NN3289E
\$29.93

End, tie rod, RH outer, RH threads, 4.250" to center of post. For manual steering on tractors 5000, 7000, (6-1967 to 1975); 5600, 6600, 7600, (1975 to 1981); 5610, 6610, (1981 to 1991). Replaces C5NN3289D.

C7NN3280F
\$30.48

End, tie rod, LH outer, 17.500" to center of post. For manual steering on tractors 5000, 7000, (6-1967 to 1975); 5600, 660, 7600, (1975 to 1981); 5610, 6610, (1981 to 1991). Replaces C5NN3280N.

C7NN3289D
\$20.99

End, RH inner, 1.00"-16 thread, for tie rod with power steering, 3.75" to center of post. For tractors 5000, 7000, (9-1970 to 1975); 5600, 6600, 7600, (1975 to 1981); 5610, 6610, 7610, (1981 to 3-1985).

**C7NN3B161A**
\$35.36

End, LH inner, for tie rod with power steering, 18.125" to center of post. For tractors 5000, 7000, (9-1970 to 1974); 5600, 6600, 7600, (1975 to 1981); 5610, 6610, 7610, (1981 to 3-1985).

**E3NN3289AA**
\$65.31

Tie rod end, LH outer, 5" to center of post. For the tie rod with power steering on tractors 5610, 6610, 7610, 7810, (4-1985 to 10-1991); 5610S, 6610S, 7610S, (1-1994 to -); 7010S (4-1996 to -)

**E3NN3278AB**
\$143.46

Tie rod end, RH outer, 1.27" dia., 17.750" to center of post. For tie rod with power steering on tractors 5610, 6610, 7610, (4-1985 to 10-1991); 7810 (2-1986 to 10-1991); 5610S, 6610S, 7610S, 7810S, (1-1994 to -), 7010S (4-1996 to -).

REPLACES

Front Spindles, Bushings & Thrust Bearings



SEE NEXT PAGE FOR PRICES

Application	Spindle (A) Right	Spindle (A) Left	Bushing Kit (K)	Bushing (B) Upper (U) or Lower (L)	Thrust Bearing (C)
Tractor: 9N, 2N 5/16" x 1-1/8" keyway	2N3105	2N3106		2N3109	C0NN3123B
Tractor: 8N 1/4" x 3/4" keyway	8N3105B	8N3106B		2N3109	C0NN3123B
Tractor: NAA	8N3105B	8N3106B		2N3109	C0NN3123B
Tractor: 600, 700, 800, 900, 2000, 4000	NCA3105B	NCA3106B	SBK5364	2N3109 NCA3110A	C0NN3123B
Tractor: DEXTA, SuperDEXTA	957E3105	957E3106	SBK5364	2N3109 NCA3110A	C0NN3123B
Tractor: 2000, 3000, 4000 (Except vineyard)	C5NN3105U	C5NN3106R	SBK5364	2N3109 NCA3110A	C0NN3123B
Tractor: 4000 (Except Orchard)	C5NN3105T	C5NN3106N		2N3109	
Tractor: 5000, 7000 (Except hi clearance & orchard) (Not for 10 x 16 front tires)	C5NN3105M	C5NN3106J	SBK6581	C5NN3109A C5NN3110A	C0NN3A299A
Tractor: 5000, 7000 (Except hi clearance & orchard) (For 10 x 16 front tires)			SBK6581	C5NN3109A C5NN3110A	C0NN3A299A
Tractor: 2600, 3600, 3900, 4100, 4600SU (less cab/not for vineyard) 5/16" x 1-3/8" keyway	C5NN3105U	C5NN3106R	SBK5364	2N3109 NCA3110A	C0NN3123B
Tractor: 4600 (except SU, orchard, vineyard)	D4NN3105A	D4NN3106A			
Tractor: 5600, 6600, 7600 (Except hi clearance & orchard) (Not for 10 x 16 front tires)	C5NN3105M	C5NN3106J	SBK6581	C5NN3109A C5NN3110A	C0NN3A299A
Tractor: 5600, 6600, 7600 for tractors with power steering(Except hi clearance & orchard) (For 10 x 16 front tires)			SBK6581	C5NN3109A C5NN3110A	C0NN3A299A
Tractor: 5700, 6700, 7700					C0NN3A299A
Tractor: 6600C, 7600C			SBK6581	C5NN3109A C5NN3110A	C0NN3A299A
Tractor: 4610 (except SU, orchard, vineyard)	D4NN3105A	D4NN3106A			
Tractor: 5610, 6610, 7610 (except hi clearance & orchard)	C5NN3105M	C5NN3106J	SBK6581	C5NN3109A C5NN3110A	C0NN3A299A
Tractor: 6710, 7710					C0NN3A299A

F-5-200-A

SPINDLE (A) RIGHT

2N3105	\$70.80
8N3105B	\$71.12
NCA3105B	\$72.30
957E3105	\$72.30
C5NN3105U	\$75.87
C5NN3105T	\$75.87
C5NN3105M	\$91.86
D4NN3105A	\$100.28

SPINDLE (B) LEFT

2N3106	\$70.80
8N3106B	\$71.12
NCA3106B	\$72.30
957E3106	\$72.30
C5NN3106R	\$72.17
C5NN3106N	\$75.87
C5NN3106J	\$91.86
D4NN3106A	\$100.28

BUSHING KIT (K)

SBK5364	\$9.30
SBK6581	\$16.67

BUSHING (B) UPPER (U) OR LOWER (L)

2N3109	\$1.89
NCA3110A	\$2.76
C5NN3109A	\$4.26
C5NN3110A	\$4.08

THRUST BEARING (C)

C0NN3123B	\$8.15
C0NN3A299A	\$11.58
CONN3123B	\$8.15

REPLACES

Front Wheel Bearing Kits

Kits contain inner and outer cups and cones and oil seal. Complete for one wheel.

SEE NEXT PAGE FOR PRICES

Application	Seal (D)	Inner Bearings Cone (E)	Inner Bearings Cup (F)	Outer Bearings Cone (G)	Outer Bearings Cup (H)	Kit (I)	Hub (J)
Tractor: 9N, 2N, 8N, NAA	NCA1190A	B1201	B1202 15250	B1216 09074	B1217 09196	CBPN1200A	
Tractor: 600, 700, 800, 900	NCA1190A	8A1201B	8A1202A 15245	8A1216A 09067	8A1216A 09195	CBPN1200B	
Tractor: 601, 701, 801, 901, 2000, 4000	NCA1190A	D5NN1201A LM67048	D5NN1202A LM67010	D5NN1216A LM11949	D5NN1217A LM11910	CBPN1200C	C9NN1104F
Tractor: DEXTA, SuperDEXTA	957E1190A	D5NN1201A LM67048	D5NN1202A LM67010	D5NN1216A LM11949	D5NN1217A LM11910	FW93WS EHPN1200E	C9NN1104F
Tractor: FORDSON MAJOR DIESEL		355X	352		14283	FW98	
Tractor: 2000, 300	957E1190A	D5NN1201A LM67048	D5NN1202A LM67010	D5NN1216A LM11949	D5NN1217A LM11910	FW93WS EHPN1200E	C9NN1104F
Tractor: 4000	310195	C1VV1201A LM48548	C1VV1202A LM48510	D5NN1216A LM11949	D5NN1217A LM11910	FW94WS EHPN1200C	C9NN1104E
Tractor: 5000, 7000	E0NN1190AA	WAA4221A LM501349	WAA4222A LM501310	C1VV1216A M12649	C1VV1217A M12610	FW96WS EHPN1200D	C9NN1104D
		8L4221	312518 25521	312520 02474	312548 02420	FW99	
Tractor: 2600, 3600, 3900, 4100	957E1190A	D5NN1201A LM67048	D5NN1202A LM67010	D5NN1216A LM11949	D5NN1217A LM11910	FW93WS EHPN1200E	C9NN1104F
Tractor: 4600	310195	C1VV1201A LM48548	C1VV1202A LM48510	D5NN1216A LM11949	D5NN1217A LM11910	FW94WS EHPN1200C	C9NN1104E
Tractor: 5600, 5700, 6600, 6700, 7600, 7700	E0NN1190AA	WAA4221A LM501349	WAA4222A LM501310	C1VV1216A M12649	C1VV1217A M12610	FW96WS EHPN1200D	C9NN1104D
		8L4221	312518 25521	312520 02474	312548 02420	FW99	
Tractor: 2610, 3610, 3910, 4110	957E1190A	D5NN1201A LM67048	D5NN1202A LM67010	D5NN1216A LM11949	D5NN1217A LM11910	FW93WS EHPN1200E	C9NN1104F
Tractor: 4610	310195	C1VV1201A LM48548	C1VV1201A LM48510	D5NN1216A LM11949	D5NN1217A LM11910	FW94WS EHPN1200C	C9NN1104E
Tractor: 5610, 6610, 6710, 7610, 7710	E0NN1190AA	WAA4221A LM501349	WAA4222A LM501310	C1VV1216A M12610	C1VV1217A M12610	FW96WS EHPN1200D	C9NN1104D

REPLACES

Spindle Seals



9N3528

Felt seal, spindle felt seal. For tractors: {1939-1947}. 9N, 2N.

8N3528

Seal spindle dust seal with groove and offset rubber. For tractors: 8N, NAA, 600, 800 {1948-1957}.

F-5-201-A

SEAL (D)

NCA1190A	\$2.67
957E1190A	\$3.23
310195	\$3.41
E0NN1190AA	\$4.22

INNER BEARINGS CONE (E)

B1201	\$9.69
8A1201B	\$5.70
D5NN1201A	\$4.26
LM67048	\$4.26
355X	\$25.07
C1VV1201A	\$4.68
LM48548	\$4.68
WAA4221A	\$12.03
8L4221	\$8.76
LM501349	\$12.03

INNER BEARING CUP (F)

B1202	\$5.90
15250	\$5.90
8A1202A	\$2.60
15245	\$2.60
D5NN1202A	\$1.89
LM67010	\$1.89
352	\$11.28
C1VV1202A	\$1.82
LM48510	\$1.82
WAA4222A	\$3.00
LM501310	\$3.00
312518	\$8.49
25521	\$8.49

OUTER BEARINGS CONE (G)

B1216	\$9.56
09074	\$9.56
8A1216A	\$5.45
09067	\$5.45
D5NN1216A	\$3.53
LM11949	\$3.53
C1VV1216A	\$4.76
M12649	\$4.76
312520	\$13.68
02474	\$13.68
M12610	\$2.01

OUTER BEARINGS CUP (H)

B1217	\$2.99
09196	\$2.99
8A1216A	\$5.45
09195	\$3.56
D5NN1217A	\$1.71
LM11910	\$1.71
14283	\$16.55
C1VV1217A	\$2.01
M12610	\$2.01
312548	\$8.33
02420	\$8.33

KIT (I)

CBPN1200A	\$28.23
CBPN1200B	\$18.33
CBPN1200C	\$13.29
FW93WS	\$14.12
EHPN1200E	\$14.12
FW98	\$65.58
FW94WS	\$14.34
FW96WS	\$18.92
EHPN1200D	\$18.92
FW99	\$37.95
EHPN1200C	\$14.34
FW93WS	\$14.12

HUB (J)

C9NN1104F	\$42.33
C9NN1104E	\$42.56
C9NN1104D	\$92.27

SPINDLE SEALS

9N3528	\$1.80
8N3528	\$4.25

REPLACES

Wheel Clamp Lock Nut



LN10-2
\$9.41

Clamp lock nut, 3/4"-16 thread. For all Ford models to date except some row crop.

LN10-21
\$17.39

Clamp lock nut, rear axle, 1-1/4". For tractors 8N, NAA.

REPLACES

Front Wheel Hubs & Caps

Hubs with bolts, less cups & bearings.

C9NN1104F
\$42.33

Hub, front wheel. For tractors Dexta, Super Dexta, for 6 hole 4.50" X 16" wheel (1957 to 1964); for 6 hole 4.00 X 16" wheel on tractors 2000, 3000, (1965 to 1975); 2600, 3600, 4100, (1975 to 1981); 2610, 3610, (1981 to -). Uses bearing & seal kit FW93-WS; wheel bolt C5NN1107F & nut C5NN1012B. Replaces 95731110, C5NN1104B.



C9NN1104E
\$42.56

Hub, front wheel. For 6 hole 4.00 x 16" wheel on tractors 4000, (1965 to 1975); 4600, (1975 to 1981); 4100, 4610, (1981 to -); uses bearing & seal kit FW94-WS; wheel bolt C5NN1107F & nut C5NN1012B. Replaces C5NN1104H.



C9NN1104D
\$92.27

Hub, front wheel. For 6 hole 5.50" x 16" or 5.50" x 18" wheel on tractors 5000, 7000 (1965-1975); 5600, 5700, 6600, 6700, 7600, 7700 (1975-1981); 5610, 6610, 6710, 7610, 7710 (1981-). Uses bearings and seal kit FW96-WS; wheel bolt C5NN1107F & nut C5NN1012B. Replaces C5NN1104F.



957E1139WF
\$5.82

Hub cap, with grease fitting. For front wheel with weight holes; 4.50" x 16" - 2500lb. capacity. 6 bolt-6" circle with 4.62" pilot for 5.50" x 6.00" x 16" tires. Universal.

C5NN1130A
\$6.30
2N1139B
\$8.36

Hub cap. For front wheel hub C9NN1104D.

Cap, front wheel, **EXACT of ORIGINAL.** For tractors; 9n, 2n, 8n, NAA, 501, 600, 700, 800, 900, (1939 TO 1957).

9N1190B
\$4.85

Seal, front hub grease. For tractors: 9N, 2N, 8N, NAA (1939-1954).



REPLACES

Front Wheels

9N1015A
\$120.75

Front wheel, 5 lug. For tractors: 9N, 2N, (1939 to 1947). 9-3/4" center hole. Wheel uses 4.00 x 19 tire.

8N1015A
\$120.75

Front wheel, 6 lug. For tractors: 8N (1948 to 1952). Wheel uses 4.00 x 19 tire.

8N1015D
\$40.35

Front wheel with weight holes; 4.50" x 16"-2500 lb. capacity. 6 bolt-6" circle with 4.62" pilot for 5.50" x 6.00" x 16" tires. Universal



C5NN1007A
\$47.06

Front wheel with weight holes; 5.50" x 16"-3300 lb. capacity. 6 bolt-6" circle with 4.62" pilot for 7.50" x 16" tires. Universal



D5NN1007A
\$82.50

Front wheel 8" x 16" ; 6 bolt, 6" circle, 4.62" pilot.

REPLACES

Front Wheel Bolt & Nut

2N1012
\$3.65

Nut, front wheel. For tractors: 9N, 2N, 8N, NAA (1939-1954).



9N1012
\$3.33

Nut, front wheel, **EXACT of ORIGINAL.** Hex style 11/16" O.D. For tractors; 9n, 2n (1939 to 1944).



C5NN1107F
\$1.37

Bolt, front wheel, 1/2"-20 x 1-3/4" with serrated shoulder. For tractors (1953-1985). Also used with hubs C9NN1104D, C9NN1104E, C9NN1104F.

**C5NN1012B**
\$0.33

Nut. Used for wheel bolt C5NN1107F & others (1939-1985).

**31319712G**
\$155.51

Rim, 12" x 28" , 6 loop clamps. For tractors 80 and H.D. industrial (optional) (1958-1962); 3055, 3100, 3120, 3150, 3190, 3300, 3310, 3400, 3500 (1965-1975); 3600 (1975-1981); 4100, 4600 (1978-1981); 2310, 2610, 3610, 4110, 4610, 340A, 340B, not for square disc (1981-12/1985); 3230, 3930, not for square disc (3/1990-1994). Replaces 313197, 31319729Z.

**REPLACES****Rear Wheel Rims, Bolts, Studs,
& Nuts****NCA12020B**
\$124.73

Rim, 10" x 28" wide base demountable rim with 6 loop clamps.

**370938S36**
\$1.40

Bolt, rear rim center disc to rim, for 28" wheels. 5/8"-18 x 2-3/4", CGH head.

**C5NN1050E**
\$126.81

Rim, 11" x 28" wide base demountable rim with 6 loop clamps.

**33806S7**
\$0.39

Nut, 5/8"-18. For NCA1020B & C5NN1050E wheels.

**NCA1020C**
\$98.93

Rim, 9" x 28" wide base demountable rim with 6 loop clamps. Fits tire size 11.2" x 28"

**312696**
\$0.98

Stud, with serrated shoulder for rear brake drum. For tractors 8N, NAA, 600, 700, 800, 900, 2000, 4000 (1958-1964).

**C5NN1118J**
\$3.74

Bolt, rear axle shaft to disc, for 6-bolt wheel. 3/4"-16 x 2-1/4". For tractors Major, Super Major, 4000, 4100, 4110, 4600, 4610, 5000, 5600, 5610, 6000, 6700, 6710, 7000, 7600, 7610, 7700, 7710 (1965-1991).

**8N1134**
\$0.74

Nut, 5/8"-18, tapered. For rear wheel disc to brake drum on tractors 8N (1948-1952). For rear wheel disc to rim on tractors NAA, 600, 700, 800, 900, 2000, 4000 (1948-1964).

**D3NN1120B**
\$2.03

Nut, 3/4"-16 x 1-1/2" hex. Chamfered. For tractors Major, Super Major, 4000, 4100, 4110, 4600, 4610, 5000, 5600, 5610, 6000, 6610, 6700, 6710, 7000, 7600, 7610, 7700, 7710 (1965-1991).

**C5NN1117R**
\$2.45

Bolt, 5/8"-18 x 2-3/16" rear axle shaft to wheel disc and drum. For tractors 2000, 4110 with differential lock or less differential lock (4/1965-1975); 3000 (except 3055 & 3550) (1965-1975); 2600, 3600, 231, 234, 334, 531 (1981-4/1983). Use with nut C5NN1120F.

**C5NN1120F**
\$2.10

Wheel Nut, 5/8"-18. Use with wheel bolt C5NN1117R.

**351505K16**
\$8.45

Flat washer kit, 5/8, rear wheels and front axle bolts. Set of 16. For tractors: {1939-1954}. 9N, 2N, 8N, NAA.



351505K6
\$3.08

Flat washer kit, 5/8, rear wheels and front axle bolts. Set of 6. For tractors: {1939-1954}. 9N, 2N, 8N, NAA.



351505S8
\$0.60

Flat washer, 5/8, rear wheels and front axle bolts. For tractors: {1939-1954}. 9N, 2N, 8N, NAA.



350719S8
\$3.65

Bolt, rear rim center disc to rim, 5/8x 18 x 2.282. For tractors: 9N, 2N, 8N, NAA {1939-1954}.



C5NN1050J
\$485.64

Power adjust rim, 12" x 28", 4 rail type. For double ramp clamp. Holes in rail for stop body screw are drilled parallel to axle (not at angle). For tractors 3000 (1965-1975); 3600 (1975-1981); 2610, 3610, 4110 (1981-2/1990). Use with stop body C0NN1057A stop body screw C0NN105BA, clamp E5NN1043AA.



C5NN1050H
\$502.07

Power adjust rim, 11" x 28", 4 rail type. For double ramp clamp. Holes in rail for stop body screw drilled parallel to axle (not at angle). Fits tire size 12.4" x 28", 13.6" x 28". Use with stop body screw C0NN1058A, clamp E5NN1043AA.



E5NN1043AA
\$21.14

Wheel clamp, disc to rim. Double ramp type for power adjustable rims. For 28" rim on tractors 2000, 3000, 4140 (10/1968-1975); 2600, 3600, 4100, 4600SU (1975-1981); 2310, 2610, 2910, 3610, 3910, 4110, 4610, 4610SU (except Baseldon models (1981-3/1990); 3230, 3430, 3930, 4130, 4630, 4830LCG (3/1990-). Use with rims PAR10X18 and C5NN1050J.



REPLACES

Rear Wheel Disc

D9NN1036CA
\$120.11

Disc, rear wheel 28" & 32", 8-bolt hub, 6-bolt rim. For tractors: 8N (1948 to 1952), NAA, 600, 700, 800, 900, 2000, 4000, (1953 to 1964), 2000, 3000, 4000, (1965 to 1975), 2600, 3600, 3900, 4100, 4600, 5600, 5700, 6600, 6700, 7600, 7700, 231, 233, 333, 335, 420, 515, 531, 532, 535 (1975 to 1981), 2310, 2610, 2810, 2910, 3610, 3910, 4110, 4610, 230A, 234, 334, 530A (1981 to 2-1990).

REPLACES

Rear Wheel Power Adjust Rims, Clamp, & Attaching Parts

PAR10X28
\$483.30

Power adjust rim, 10" x 28", 4 rail type. For double ramp clamp. Holes in rail for stop body screw are drilled parallel to axle (not at angle). Use with stop body C0NN1057A, stop body screw C0NN1058A, clamp E5NN1043AA.



C0NN1057A
\$18.35

Stop body, for power adjust rims PAR10X28 and C5NN1050J. Use with double ramp clamp E5NN1043AA.



C0NN1058A
\$7.94

Screw, for stop body. Use with power adjust rims PAR10X28 and C5NN1050J.

